Message

From: Sanchez, Yolanda [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP

(FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=473C34AE73994A4A8ACAFE6F03E0BAEB-SANCHEZ, YOLANDA]

Sent: 2/3/2021 5:43:08 PM

To: Chesnutt, John [Chesnutt.John@epa.gov]

Subject: RE: Hunters Point Rad Buildings discussion on Friday

Attachments: Hunters Point Buildings Radiological Rework meeting with HQ

Thank you. Did you have time to review the suggested agenda I sent to you and Angeles (attached)? I'd like to update the meeting invitation or send an email today.

Yolanda

From: Chesnutt, John < Chesnutt. John@epa.gov>
Sent: Wednesday, February 3, 2021 8:04 AM
To: Sanchez, Yolanda < Sanchez. Yolanda@epa.gov>

Subject: Fwd: Hunters Point Rad Buildings discussion on Friday

Begin forwarded message:

From: "Fitz-James, Schatzi" <Fitz-James.Schatzi@epa.gov>

Date: February 3, 2021 at 3:11:07 AM PST

To: "Chesnutt, John" < Chesnutt. John@epa.gov >, "Libelo, Laurence" < Libelo. Laurence@epa.gov >

Cc: "Herrera, Angeles" < Herrera. Angeles@epa.gov>

Subject: RE: Hunters Point Rad Buildings discussion on Friday

Asked Dana yesterday if he will attend and he said most likely. Friday is his compressed day. I will confirm with him today and let you know one way or the other.

Finding time on Dana's calendar any week is daunting at times. I hope we can make this Friday work. SFJ

----Original Message----

From: Chesnutt, John < Chesnutt. John@epa.gov > Sent: Tuesday, February 02, 2021 9:34 PM

To: Fitz-James, Schatzi < Fitz-James. Schatzi@epa.gov >; Libelo, Laurence < Libelo. Laurence@epa.gov >

Cc: Herrera, Angeles < Herrera. Angeles @epa.gov>

Subject: Hunters Point Rad Buildings discussion on Friday

Schatzi and/or Laurence,

Would one of you be able to confirm whether Dana is available to participate? He is the only key person who has not responded. Enrique was hoping he would make it. If he can't, we will try to find a time next week.

Thanks,

John

John Chesnutt

Manager, Superfund Pacific Islands and Federal Facilities Section EPA Region 9 415-972-3005